Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67

PARTIAL SURPLUS LIST

HILL TOP NURSERIES - CASSTOWN, OHIO FIELD GROWN EVERGREENS, SHADE TREES, SHRUBS

T LLDD (ICOIII)	-194	23	
EVERGREENS Fa.	per 18 4	SHADE TREES Ea. per 10 1	Ca.per C
Arbovitae Woodwardi Globe.	Por	Ash, American - White - Green	Jaspor O
12-15 in	\$ 1.25	8-10 ft. \$ 1.25	4
Biota Aurea Nana, 15-18 in	2.25	$1\frac{1}{4}-1\frac{1}{2}$ in.cal.1.75	4
	2.75	$1\frac{1}{2}-1-3/4$ in. cal. 2.25	
Biota Burtoni, 32-4 ft.	4.00	Cercis canadensis (Red Bud) - see	Shrubs
Biota Compacta, 15-18 in		Crataegus cordata,5-6 ft.\$2.50	on all
18-24 in	2.25	Crataegus mollis,6-8 2.50	2.25
$2-2\frac{1}{2}$ ft	2.50	Elm, American,	C 0 C 3
Hemlock Canadensis, 3-4 ft	4.75	$1\frac{1}{4}-1\frac{1}{2}$ in. cal. 1.25	7.00
4-4½ ft	5.75	$1\frac{1}{2}$ -1-3/4 in cal. 2.00	
Juniper andorra, 3-32 ft.	3.00	1-3/4-2 in cal. 2.25	
Juniper ch. foemina, 3-4 ft	4.00	2-2½ in cal. 2.75	
4-5 ft.	4.75	Gymnocladus dioica(Kentucky coffe	
Juniper ch. pfitzeriana, 15-18 in		5-6 ft. 1.15	, 11ce)
18-24 in	2.75	Linden, American,	
Juniper ch. pfitzer compacta,	2017	$1\frac{1}{2}$ -1-3/4 in cal. 2.50	2.25
18 - 24 in	3.25	1-3/4-2 in. cal. 3.00	2.75
2-2½ ft.	3.75	Linden, European Little Leaf	C 0 1 7
Juniper Irish, 5-6 ft.	3.25	1-3/4-2 in cal. 3.25	
Juniper conferta, 3-32 ft.	3.50	2-2½ in cal. 3.75	
Juniper Neoboriensis, 3-3\frac{1}{2} ft.	3.75	Liquidambar sty. (Sweet gum)	
3\frac{1}{2}-4 ft.	4.00	$1\frac{1}{2}$ +2 in cal. 4.00	3 25
Juniper excelsa stricta, 15-18 in	2.00	$2-2\frac{1}{2}$ in cal. 5.00	1, 50
18-24 in.	2.25	Malus Coronarious, Elyei, floribu	
Juniper virg. pyramidalis,,3-4 ft.		Ioensis (flw. crabapples)	anda,
4-5 ft.	4.00	6-7 ft. 1.50	
5-6 ft.	4.90	7-8 ft. 1.75	
Pinus montana mughus, 18-24 in	2.50	Maple ginnale, 8-10 ft.1.25	1.00
2-22 ft.	3.00	Maple Norway,6-7 ft. 1.50	1,00
Pinus resinosa, 5-6 ft.	4.75	8-10 ft. 2.50	
Pinus strobus (White Pine),5-6 ft.		Maple, Norway pyramidal,	
6-7 ft.	6.50	6-8 ft. 2.50	
Pseudotsuga Douglasi (Douglas Fir)		$1\frac{1}{2}$ -1-3/4 in cal. 4.50	
2-3 ft.	2.50	$2-2\frac{1}{2}$ in. cal. 7.50	
3-4 ft.	3.50	Oak, English (robur)	
Spruce, Black Hill, 18-24 in	1.75	8-10 ft. 2.75	2.50
2-2½ ft.	2.50	$1\frac{3}{2}$ -2 in. cal. 4.00	2.,,0
2½-3 ft.	2.75	$\frac{2}{2}$ 3 in. cal. 7.00	6.50
$3-3\frac{1}{2}$ ft.	3.25	Oak, macrocarpa (Burr Oak)	
3½-4 ft.	3.75	8-10 ft. 2.25	
Spruce, Morheim & Koster, 32-4 ft.	17.50	$1\frac{1}{2}$ -2in. cal. 3.50	
4-5 ft.	20.00	$2-2\frac{1}{2}$ in. cal. 4.50	
6-7 ft.	35.00	Oak, red (rubra)	
	per100	$1\frac{1}{4} - 1\frac{1}{2}$ in. cal. 3.00	
	•00	Oak, white (alba)	
	.75	$2\frac{1}{2}$ -3 in. cal. 6.00	
	.00		
Spruce, Serbian, 18-24 in	2.50		
2-3 ft.	3.50		
2 7 200	2.00		
	בידניים מני	OUNI VINES	

Ampelopsis veitchi, 2 yr. #1
Bittersweet (Celastrus)
2 yr. #1
Clematis, large flowered variety,
Mme. Andre, Henryi, Jackmani,

2 yr.

FIELD GROWN VINES

.35 Lonicera Heckrotti, (Flame Honeysuckle)

Ea. per 100 2 yr. .45
\$.18 Wistaria chinensis (Purple & White)

2 yr. No. 1 grafts .50

Euenymus colorata, 8-12 in.

.12 .08

MILL TOP NURSERIES - CASSTONN, OHIO FIELD GROWN EVERGHEENS, SHADE TREES, SHRURS

SWS, SHADE TRIES, SHRUBS	ENDREAM MACHINE CITETES
	PUDDODDING
SHADE TREES	Arbovitse Woodward CT Per 10
	. BECLI LINGUAGE CAVATO
Walley or STITIS	12-15 in 0 1.25
A 1.0-20-1 2 .52 U0	
in f foo mt which	
to o for or mit which	La dust tentered STOIN
Cercis canadensis (Red Bud) - see Shrubs	Riota Compania 27 ag
Cratasamic corders (ned and) - see Shrubs	Biota Compacta, 15-18 in 1.75
Vill Circulate Company Control	pc c ut nz=or
Par c New Stiffoll Shippenson	2424 44
TROUTENIES, MILECO	Memilian I a standard Notine
To a fact the state of the stat	the state of the s
	Multiple suchement of the second
the man of the same Parish to and	Junines of State of S
1-3/4-2 in cal. 2.25 2.00	no i the idemina, joint file in its
	- 1 (-1)
White of the contraction of the	halos do gardini.
	THE RESIDE
linden, kmerican,	Juniper ch. pflitzer compacta, 2.75
	18 - 24 in 3.25
1-3/4-2 in. cal. 3.00 2.75	-31 10/2
Linden, Europe r Little Leaf	THE THE LIBERT TOWN
1-3/4 2 in cal. 3,25	duniber conferts and a
26 6 10 21 52 50	
Amendament of the transplant	
	OU.D
, 55°5 00°7 "To gar"	Juniper excelse stricts, 15-18 in 2.00
2-28 an cal. 5.00 h.50	AC TOWAR
Malus Coronarious, Elyei, floribunda,	on s if i-f., silabinstvi . 3 11 10 10 10 10 10 10 10 10 10 10 10 10
feelmane (ilw. Crananae)	
N1 F	5-6 11.
30 7 - 31 0-1	
Maple Morway,6-7.ft. 1.50	2-22 Ft. 3.00
OC=T = 01=8	Pinus resinosa, 5-6 ft.
8-10 26. 2.50	A LA LA STORES (WILLS Pine) . Las 44 A La Care Care Care Care Care Care Care Car
Maple, Norway pyramidal,	
05 C "T 3-0	Pseudotsuga Douglasi (Douglas Fir)
12-1-3/4 in cal. 4.50	
Z-22 in. cal. 7.50	AN INF
Oak, English (robur)	Surge Diesk mile of a control
49 /15-8	SAT UT RE-OT TTTU MORTH
2.75 2.75	A 7 A
12-2 in. cal. 4.00	56.0
28-3 in. cal. 7.00 6.5n	3-3; ft.
van, macrocarda (Burr Oak)	33 11-68
20.00 20.00	Spring Market a second of the second
12-2in. cal 3.50	36 Th 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
- Pag in age	. 00.00
Oaks red (rubra)	5-7 ft. 35.00
and a fine of the first	001,190,51.
Lel in cal. 3.00	. Od. E G. J. L. C. J.
Oak, white (alba)	30 E 05.4 132 0-6
25-3 in. cal6.00	02.2 .32 1-0
	44 5 - 6
	3,50
W Print "	Ampelopsis veltabl 2 ETELD CHON
CARLET III	Ampelopsis veitchi, 2 yr. 1

Ampelopsis veitchi, 2 yr. #1 Bittersweet (Celastrus) 2 yr. #1

Clematis, large flowered variety, Mme. Andre, Henryi, Jackmani, 2 yr.

.35 Lonicera Heckrotti, (Flame Honeysuckle)
Ea. per 100 2 yr.

0.15 Wisteria chinensia (Purple & White)
2 yr. No. 1 grafts .50
Eusnymes colorata,

		ROWN SHRUBS	
Ea		Ea.	Ea.
Althea, Dbl.Red, Blue, White,	10 Per C.		Per C
18-24 in. \$.2	5 \$.20	Philadelphus coronarious, 2-3 ft. \$.40	dt 25
2-3 ft.			
Aralia pentaphylla	• • • • • • • • • • • • • • • • • • • •	Physocarpus monogynus, Dwf, Nine	
3-4 ft4	5 .40		
4-5 ft.			
	55 .50		
Aronia melanocarpa, 2-3 ft4	0 .35		
Barberry, Globe (Plant Pat. No		Privet, Ibolium, 18-24 in.	
Dwarf type - 4-6 in3		\$80.00/M .10	.09
6-9 in 03			.12
9-12 in4			
12-15 in5			
15-18 in6	.60		
Barberry Thunbergi,	0.7	2-3 ft45 Rhus canadensis, 3-4 ft50	
12-15 in. 2 yr. S09			
15-18 in.			
Barberry, Thunbergi atrop.12-19			
15-18 in40			
Barberry, Korean, 3-5 ft4			
Cercis canadensis (Red Bud)	• • • • • • • • • • • • • • • • • • • •	Spirea Thunbergi, 18-24 in30	
3-4 ft89	.80		
4-5 ft. 1.25	1.00	Spirea tricocarpa(Korean)4-5ft	38 .35
Chioanthus virginica (White Fr:	inge)	Spirea Van Houttei, 18-24 in20	.18
3-4 ft. •75	.70		
4-5 ft. 1.00			
5-6 ft. 1.25	1.15		
Cotoneaster divaricata, B&B	, , , , ,	2-3 ft23	
2-3 ft. 1.25			
Cotoneaster foveolata, 4-5ft. 1.			
Desmodium Bicolor, 3-4 ft. 49 Euonymus bungeana, 4-5 ft. 50		Viburnum lantana, 4-5 ft60 Viburnum lentago, 4-5 ft50	
Euonymus bungeana, 4-5 ft. 50 Euonymus yedoensis, 3-4 ft. 60			
4-5 ft		6-7 ft65	
Exochorda grandiflora, 4-5 ft.		Viburnum molle,3-4 ft45	
Fontanesia fortunei, 2-3 ft30		4-5 ft55	
3-4 ft		5-6 ft60	
4-5 ft40		Viburnum opulus,4-5 ft60	
Forsythia primulina, 3-4 ft45		5-6 ft65	•60
Forsythia spectabilis, 2-3 ft.35		Viburnum prunifolium, 5-6 ft.1.15	
3-4 ft45		6-7 ft. 1.65	
Hamamelis vernalis, 2-3 ft50		Weigela Rosea, 2-3 ft40	
3-4 ft60			O Per C
Hamamelis Virginiana,4-5 ft70		Peach,5-16" 2.00	
Hydrangea A.G.18-24 in40		7-16" 3.00 9-16" 4.00	
Hydrangea P.G.18-24 in40		9-16" 4.00 11-16" 6.00	
Kolkwitzia amabilis (Beauty Bus		Apple,2 yr.,11/16" 6.50	
18-24 in		9/16" 5.00	
Lilac Japonica (White) 3-4 ft.75 Lilac Persian, 2-3 ft40		7/16" 3.00	
3-4 ft50		Cherry, Plum, Apricot, 2 yr.,	->•00
Lilac villosa,4-5 ft50		11/16" 11.00	100.00
Lilac, Purple (Vulgaris)	•42		85.00
3-4 ft55	.50	Pear, 2 yr,11/16" 9.00	
Lonicera Korolkewi, 2-3 ft45		, , , , , , , , , , , , , , , , , , , ,	
Lonicera Maacki, 2-3 ft40		(Continued from first column)	
3-4 ft45	.40	Magnolia soulangeana Nigra, B & 1	В.
Lonicera Morrowei, 3-4 ft45	.40	2-3 ft. 5.00	
4-5 ft55	.50	3-4 ft. 7.00)

The continue of the continue o	× 8	. E	Ea,		g and a	r.,	Die Prof	
Carrier Carr		Tol. O.	- 1		0 19	1	Per 10	THE BARY
Second Color Seco	~		west about the column of	rmisdelphus coronarious,			20 4	RECEIVED
Appropriate Application (1997) 1999 1999 1999 1999 1999 1999 1999	7	0 8 0		627		iga.		247 646
200 200		J. 0	2.		000		CCA	NOV 3 0 1948
Second Process Seco			f, Nin	Linescerbies souchais Da			211-	3-4 10.
10				Polynos dense		*	05.	
According and amonograph, 9.3, fee, 140, 152 Barbearry, 100 (2) factors 100 (2			S Mr.	MOTOR TOXAL TURNS (NOTES)		12.2	Ton	EMISSIONELLLI O SINOS
Description			a = 12	MANDE SEE SEE			out.	Aronia melanocarpa, 2-3 rt
Second S		0.	à p	Private Thoughton 18 of the		(8)	te Mosle	Barberry, Globe (Plant Pa
Series S			3	*UL Wanting Trans Engage				and O-d - Square Times
Parborny Thunberry Parborny Thunberry Parborny Thunberry Parborny Parbor		8	Lo	MANO 0014 . 43 E-S			5250	6-9 in
Barborry Thunbergi 19-18 16. 20 21 22 24 25 25 25 26 26 26 26 27 27 28 29 29 29 29 29 29 29				Frunus tementesum 2-1 44	Oile	,	· 445	"ur. 2T-6
Barberry Thunbergi, 12-15 in. 2 yr. S				3-4 15.	05.			eur, Start
12-15 in. 2 yr. 809 .078 Bhus canadausis, 3-h ft50 .15 .10 .21 .15 in20 .15 .10 .21 .25 .20 .15 .25 .20 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .20 .25 .25 .25 .25 .25 .25 .25 .25 .25 .25				. Rhammus Chadwidt 18-24 19		,	, 20°	and black
15-15 16 20 20 20 20 20 20 20 2				2m3 5th				*THAROUNDE ALTON
15-10 15-1			57	. Rhus canadensis, 3-4 ft				12-15 40
Surperry Sunberry				· will Good			*	
Section Sect				Rims oppiants Arts ft.		335		
Barcerry, Korsen, 3-5 ft.				- 13 Omi		560		
Spirce Transcript Spirce Transcript Spirce Sp			Od. e	Spires Arguta clumps, 3-lift				Barcarry, Korean, 3-5 ct
## ft,		0	25	Spires Procheli, 12-18 in.	Offic		. (620)	Curcis denadensia (Hed Bud
1.5	1	35.	05.0	"ut 12-61 Taluquing Barrde				3-4 52
Spires Var Boutes 16. 20 35 15. 15	. (QE.	35	4J1 673			3.95	ti-5 ft.
1.5		38 35	-sit.	opires was dispress Korean)L-	WWa R		aurited a	Chicanthus virginics (West
1.00 1.00				FE TE-AT TOLINGS JE A SEATHER	76		75	Tall Tall
## Cotoneaster divarioata, man		25" .	08.	Street and an and an	3			12 C-W
Cotoneaster Giverlata, Rep Page		BL. OSWA	CI. OL-	I transcens and market before			1 30.5	5-6 ft.
Octonesser Seyeolsta, 1-57. 1.20 1.10		Che like	· The bar	*OT*UTLESTER ON ADDITIONAL OF THE	,		. 8	Cotonenster divarioata, pa
Descondesser Revealers Section		BI.			.15.	٤.		271 E-S
Europeaus bungeans, 4-5 ft				*2 T Cath that the same	101		05 a I we	Cotoneaster foveolata, 4-5r
Euconomic peacemais, 3-12 11-2 20 350 250 11-2 20 250				Viburanna Jantana Lag es				TARRESTOR STOOTOL SALES
Second a grandiflors 1-5 ft 50 5-7 ft 5-7 f				Victory in lead and held vi	Ed.		. 50	"11 5-1' auseling principal
Excohorda grandiflora, 4-5 ft55 .50 Viburnum scile; 3-b, ft45 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60	*		NA	5mb 1 to	. 02.		000	"17 The Salemona and and there
Fontanesia fortunei, 2-3 ft. 30			PA.	, 52 fm)			₹0°	Exercise annual ex
3-4 ft		-		. Vikurnum molle, 7-4, gt.	. 05.		CCNAJI	Montaneria frantural o o o
Foreythis primuline, 3-h ft. h5			77.	and it could	. 630			ATT E-SETSION TO A NEW TANK
Foreythis primuline, 2-h fth5				5-0 16.				44 7-1
Forsythia spectabilis, 2-3 ft., 35 30 Viburnum prumifolium, 5-6 ft.1.15 1.00 3-b ft. Hamanelis vernalis, 2-3 ft. 50 30 FRUIT THUES Bannaelis Virginiana, 4-5 ft., 70 30 Feach, 5-15 per 0 Feach, 5-15 per 10 Fer 0 Feach, 5-15 per 10 Feach, 6 Feach, 6 Feach, 7 per 10 Feach, 7 per 10 Feach, 7 per 10 Feach, 7 per 11 per 10 Feach, 7 per 10				At Sentande unmendia			* Ullia	Formythia metampions on an
Hemanelis vernelis, 2-3 ft50 .45 .45 .45 .45 .45 .45 .45 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46				- T Dest			· Cile	Forsythia spectahila 2-1 -
Hamanelis vernalis, 2-3 st50 .45 Weigala Rosea, 2-3 ft40 .35 1.45 1.45 1.45 1.45 1.45 1.45 1.45 1.4	-		1,15	Viournum prumifolium,5-6 ft.				. 31 1-1
FRUIT TRIES	- 1	Late	- 50"T	427 Jag	3.1			Hamamalis vermalis.2-3 ft.
Hearth Strain S		350		WEINELS MOSOS,2-3 ft,	. (21	0	mA	- "J I II"
Total Tota				I BRIDE HUNT			05	Hammelis Virginiana. L-5 rt.
Solution		00.71	00.5	"ST-C Indian				THE READTH OF PRESENT OF THE
13-24 in 15-24 in 15-00								
Itlac Japonica (White) 14.75				425 55		0	Bush)	Windl) Billiams Bistrator
Illac Japonica (White) 3-4 ft.75 .70 9/16" 5.00 45.00 141.00 35 7/16" 5.00 45.00 25.					Ou!	2	7111	. OUT TIZ-OF
July 1t. 3, 1t. 3, 10 35 7/16" 3,00 25.00 25.00 1130 villoss, 10 50 150 150 150 150 150 150 150 150 1							.75	Illac Japonica (Waite) 1-1 ft
Lilac villossid-5 ft50 .45 Cherry, Plus, Apricot, 2 yr., Misc, Furple (Vulgaria) .50 .45 .11/10" 11.00 100.00 3-4 ft55 .50 Fear, 2 yr, 11/16" 9.00 85.00		OU. CLI.		2/200				"11 E-S, HBIETET DELLA
Liac, villoss,4-5 ft50 .45 .11/10" 11.00 100.00 Milac, Furple (Vulgaria) 2-4 ft50 Fear, 2 yr,11/16" 9.00 85.00	,	000	ULI & C				P1/23	3-11-1
3-4 ft. 10.00 8.00 Lonicera Korolkewi 2-2 ft. 15 9.00 85.00				Tallow				. 31 2-d. asollev. Obild
Lonicera Korolkewi 2-2 ct. 15 .50 Fears 2 yrsll/16" 9.00 85.00								(Antenna) oriting (Antenna
						2.8	. 55	8J1 11-6
		WW. SU	UN/e S	· Came vo			21/2	Lonicera norolkewi, 3-3 It.
Die all February Dr. One all February Bround			1,	(Convinued from Harst delumin	. 2		O4.	all feet Dionen Brentana
Total Managara Managa				Magnolia soniadresas Wirra.	. 0	J.	Cile	10 1 5 Assessment property
00.7			5.00	*#I E-S			100	
3-42 1-8 3-62			7.00	3-4 15	4. 9	Ca	. 66	* * * * * * * * * * * * * * * * * * * *

ě